Sw

Application No.	Applicant(s)	
09/613,795	FUJII, EIZOU	
Examiner	Art Unit	
Noma O Berezny	2813	

Notice of Allowability	Examiner	Art Unit	
	Nema O. Berezny	2813	
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	ars on the cover sheet with the co (OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to and MPEP 1308.	orrespondence addro olication. If not include will be mailed in due	ed course. THIS
2. The allowed claim(s) is/are 12-15.	 .		
<u> </u>			
3. The drawings filed on 11 July 2000 are accepted by the Ex			
 4. Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") must 	been received. been received in Application No cuments have been received in this rece	national stage applicational stage application and complying with the red stage application and stage application is deficient.	quirements
 (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in to provide the provided of the provided Examiner's comment regarding REQUIREMENT in the provided Examiner's comment regarding REQUIREMENT. 	s Amendment / Comment or in the C .84(c)) should be written on the drawir he header according to 37 CFR 1.121(c sit of BIOLOGICAL MATERIAL n	Office action of ngs in the front (not the d). nust be submitted. I	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 18), 7. ☐ Examiner's Amendr	(PTO-413), te ment/Comment	
of Biological Material	9.		

Application/Control Number: 09/613,795

Art Unit: 2813

DETAILED ACTION

This Office Action is in response to Applicant's Amendment, filed 11-29-04 which has been entered and considered. Claims 6-9 and 12-15 are currently pending with claims 6-9 withdrawn; cancellation of claims 1-5 and 10-11 is acknowledged.

Election/Restrictions

This application is in condition for allowance except for the presence of claims 6 to 9 non-elected without traverse. Accordingly, claims 6-9 have been cancelled.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance of claims 12-15: the prior art of record does not teach or disclose or make obvious a solid-state image device, comprising inter alia: at least one corner of a package having a recessed portion with an "L" shape and each of first side ends of the package having a recessed portion having a "U" shape when being viewed from an upper surface side of said package. Abe et al. (5,223,746) discloses the elements of claim 12 (Fig. 1, 3a, 3d, 3e; col.1 lines 15-18; col.3 lines 3-7), except Abe does not disclose an "L" shaped depression on the package corner. Verdiell (5,977,567) discloses a corner recess similar to an "L" shape (Fig.1). However, the top layer comprising the depressed "L" shape of Verdiell comprises metal, and the top layer of Abe comprising the "U" shaped recesses comprises ceramic (col.3 lines 3-7; Fig.3d). In addition, the device of Abe

Application/Control Number: 09/613,795

Art Unit: 2813

comprises an image device, whereas the device of Verdiell comprises an optoelectronic device (Abstract). Therefore, it would not be obvious to combine Verdiell with Abe.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nema O. Berezny whose telephone number is (571) 272-1686. The examiner can normally be reached on M-F 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Whitehead, Jr. can be reached on (571) 272-1702. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

Application/Control Number: 09/613,795

Art Unit: 2813

Page 4

For more information about the PAIR system, see http://pair-direct.uspto.gov.

Should you have questions on access to the Private PAIR system, contact the

Electronic Business Center (EBC) at 866-217-9197 (toll-free).

NB

CRAIG A. THOMPSON PRIMARY EXAMINER

1-28-05